

FAST & INTUITIVE

FOR EXCELLENT CLEANING PERFORMANCE



IPC

BY TENNANT COMPANY

CT231

CT



CT231



CT231 is the new ride-on scrubber dryer with large solution and recovery tanks allowing an extended uptime and maximum performance.

Easy and intuitive, CT231 is ideal to work in Logistic, Industrial and Retail Mall areas.



HIGH PRODUCTIVITY

The large tanks and the longer runtime make the CT231 highly productive and extremely versatile, increasing both efficiency and uptime.

.01.

Outstanding productivity with 58/60 gallon large tanks and >5hrs run time with a full charged battery.

.02.

Central ergonomic driving position for excellent operator visibility on both sides to improve efficiency in total safety and comfort.

.03.

Left and right sides brushes for more accurate cleaning results.

.04.

Innovative cylindrical brush variant, 3 in 1: sweep, wash and dry in a single passage, collecting the debris in an under frame removable canister.





EXCELLENT CLEANING PERFORMANCE

The CT231 ride-on floor scrubber combines adjustable Pre-Set program, with a specific V-shape squeegee and an automatic self-leveling brush system to clean hard and soft floor surfaces.



.01. Adjustable pre-set programs to respond more efficiently to the cleaning area conditions.

.02. Specific V-shape design squeegee improving draining performance for super quality results.

.03. Automatic self-leveling system keeps constant pressure on the floor, ensuring uniform cleanliness on uneven surfaces.

.04. Yellow touch points highlight areas to open, remove or clean without the need of tools to perform daily or weekly maintenance.



INTUITIVE AND EASY MAINTENANCE

The user-friendly interface allows operators to simplify training. The smart machine design has been studied to keep everything under control for easy operation and maintenance.

.01.

Simple start with one button and 3 pre-sets program (Light, Medium, Hard)

.02.

The Automatic Refilling System optimizes run time and notifies the operator when the tank is full.

.03.

Daily maintenance operations are highlighted with yellow points for an easier and intuitive approach.

.04.

New ergonomic drain hoses positions for easy tank discharge operation.

.05.

Automatic Spin on/ Spin-off system for a quick and simple brush replacement.



ORDINARY MAINTENANCE:

simply lifting the recovery tank, the operator has easy access to the battery compartments for the daily charging process.

EXTRAORDINARY MAINTENANCE:

by lifting the recovery and solution tanks the operator has access to all parts to simplify service maintenance.

SPECIFICATIONS

		CT231 BT105	CT231 BT100 R CYLINDRICAL
CODE			
PERFORMANCE			
MAX THEORETICAL PRODUCTIVITY	ft ² /h	81,375	77,500
CLEANING PATH	inches	42	40
WATER TANK CAPACITY (SOLUTION RECOVERY)	gal	58/60	58/60
MAX RUNNING TIME	min	300	300
VOLTAGE	V-Ah	36	36
INSTALLED POWER	W	2780	3060
BRUSH PRESSURE	lbs	225	81
SQUEEGEE WIDTH	inches	54	54
MAX SPEED	mph	4.5	4.5
WEIGHT (WITHOUT BATTERIES)	lbs	992	1047
DIMENSION (LXWXH)	inches	79x59x54	79x59x54





IPC

BY TENNANT COMPANY

IPC

12450 OLIVER AVE, SUITE 300
BURNSVILLE, MINNESOTA 55337

www.ipcworldwide.com/us | 1. 800.486.2775

marketing@ipceagle.com

